



1 1/2" x 6" x 8", Tot 2

1" x 12" x 3'-3", Tot 2



SECTION A-A



Maximum Tensile Test Force Per Pile : HP 10 x 42 = 180 kips
 HP 10 x 57 = 245 kips
 HP 14 x 89 = 300 kips



SECTION B-B

NOTE:**STEEL H-PILE DETAILS**

Alignment of slots and 1/2" R's shall permit a 1" x 12" x 3'-3" to pass through pile parallel to C web of pile and achieve a snug fit. Details applicable for load test and anchor piles. Slots to be cut after piles are driven.



SECTION C-C

Maximum Tensile Test Force Per Pile : Class 90 (PP 14 x 0.375) = 180 kips
 Class 140 (PP 14 x 0.438) = 280 kips
 Class 200 (PP 16 x 0.50) = 300 kips

ALTERNATIVE "W" STEEL PIPE - PILE**NOTES:**

Alignment of slots and 1/2" R's shall permit a 1" x 12" x 3'-3" to pass through pile.
 Details applicable for load test and anchor piles.
 Slots to be cut after piles are driven.



SECTION D-D

DIST	COUNTY	ROUTE	POST MILES TOTAL PROJECT	SHEET No.	TOTAL SHEETS

REGISTERED CIVIL ENGINEER

Amir M. Malek

May 31, 2018

PLANS APPROVAL DATE

No. C62997

EXP. 9-30-19

CIVIL

STATE OF CALIFORNIA

THE STATE OF CALIFORNIA OR ITS OFFICERS OR AGENTS SHALL NOT BE RESPONSIBLE FOR THE ACCURACY OR COMPLETENESS OF SCANNED COPIES OF THIS PLAN SHEET.

STATE OF CALIFORNIA
 DEPARTMENT OF TRANSPORTATION

LOAD TEST PILE DETAILS (3)

NO SCALE

B2-11